Neuroscience Letters, 130 (1991) 275–278
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, H., see Ohta, Yu., 137
Abraham, W.C., see Wickens, J.R., 128
Agrawal, A.K., see Rao, V.L.R., 251
Aicher, S.A., Springston, M., Berger, S.B., Reis, D.J. and Wahlestedt, C., Receptor-selective analogs demonstrate NPY/PYY receptor heterogeneity in rat brain, 32
Akaike, N., Harata, N. and Tateishi, N., Modulatory action of cholinergic drugs on *N*-methyl-D-aspartate response in dissociated rat nucleus basalis of Meynert neurons, 243
Akaike, N., see Harata, N., 153
Alhainen, K., Sirviö, J., Helkala, E.-L., Reinikainen, K. and Riekkinen Sr., P. Somatostatin and cognitive functions in Alzheimer's disease –the relationship of cerebrospinal fluid somatostatin increasewith clinical response to tetrahydroaminoacridine, 46
Alvarez, R.B., see Askanas, V., 73
Andreone, C., see Artero, C., 182
Arakawa, T., Goto, T. and Okada, Ya., Effect of ketone body (D-3-hydroxybutyrate) on neural activity and energy metabolism in hippocampal slices of the adult guinea pig, 53
Araki, T., Kato, H. and Kogure, K., Alteration of second messenger systems after transient cerebral ischemia in gerbils: protective effect of pentobarbital and an autoradiographic analysis, 57
Arnauld, E., Arsaut, J. and Demotes-Mainard, J., Differential plasticity of the dopaminergic D_2 receptor mRNA isoforms under haloperidol treatment, as evidenced by in situ hybridization in rat anterior pituitary, 12
Arsaut, J., see Arnauld, E., 12
Artero, C., Martì, E., Biffo, S., Mulatero, B., Andreone, C., Margolis, F.L. and Fasolo, A., Carnosine in the brain and olfactory system of amphibia and reptilia: a comparative study using immunocytochemical and biochemical methods, 182
Askanas, V., Serdaroglu, P., Engel, W.K. and Alvarez, R.B., Immunolocalization of ubiquitin in muscle biopsies of patients with inclusion body myositis and oculopharyngeal muscular dystrophy, 73

Batini, C., Guegan, M., Palestini, M. and Thomasset, M., The immunocytochemical distribution of calbindin-D28k and parvalbumin in identified neurons of the pulvinar-lateralis posterior complex of the cat, 203
Ben-Ari, Y., see Rovira, C., 157
Berger, S.B., see Aicher, S.A., 32
Bervoets, K., see Millan, M.J., 173
Biffo, S., see Artero, C., 182
Böhmer, G., Schmid, K. and Schauer, W., Evidence for an involvement of NMDA and non-NMDA receptors in synaptic excitation of phrenic motoneurons in the rabbit, 271
Borbély, A.A., see Franken, P., 141
Bouisset, S., see Do, M.C., 9
Burgoyne, R.D., see Graham, M.E., 267

Cain, S.T. and Routtenberg, A., Phosphorylation of pyruvate dehydrogenase in the hippocampal slice: time course of response to cellular depolarization, 65
Cespuglio, R., see Zheng, Z., 17
Cherubini, E., see Kilić, G., 263
Ciriolo, M.R., see Nisticò, G., 117
Costentin, J., see Naudin, B., 22

Demotes-Mainard, J., see Arnauld, E., 12
Do, M.C., Nouillot, P. and Bouisset, S., Is balance or posture at the end of a voluntary movement programmed?, 9

Eiden, L.E., see Weihe, E., 190
Eimerl, S. and Schramm, M., Acute glutamate toxicity and its potentiation by serum albumin are determined by the Ca^2 concentration, 125
Engel, W.K., see Askanas, V., 73
Ewert, M., see Kleingoor, C., 169

Fasolo, A., see Artero, C., 182
Ferré, S., Rubio, A. and Fuxe, K., Stimulation of adenosine A_2 receptors induces catalepsy, 162
Finch, C.E., see Pasinetti, G., 1
Fiskin, K., see Nisticò, G., 117
Franken, P., Tobler, I. and Borbély, A.A., Sleep homeostasis in the rat:simulation of the time course of EEG slow-wave activity, 141
Furness, J.B., see Shuttleworth, C.W.R., 77
Fuxe, K., see Ferré, S., 162

Garthwaite, J., see Southam, E., 107
Gershfeld, N.L., see Ginsberg, L., 133
Ghosh, S., see Porter, R., 112
Ginsberg, L. and Gershfeld, N.L., Membrane bilayer instability and the pathogenesis of disorders of myelin, 133
Gómez, C. and Prado, A., Electrical activity of the lateral rectus muscle and abducens nerve during unconditioned eye retraction induced by corneal stimulation in the cat, 213
Goto, T., see Arakawa, T., 53
Graham, M.E. and Burgoyne, R.D., *N*-Methyl-D-aspartate stimulation of the survival of rat cerebellar granule cells in culture is not dependent upon increased c-*fos* expression and is not mimicked by protein kinase C activation, 267
Guegan, M., see Batini, C., 203

Harata, N., see Akaike, N., 243
Harata, N., Tateishi, N. and Akaike, N., Acetylcholine receptors in dissociated nucleus basalis of Meynert neurons of the rat, 153
Hariguchi, S., see Nakamura, Yu., 195
Hartschuh, W., see Weihe, E., 190
Haruta, K., see Yamase, K., 255
Hashimoto, S., see Nakamura, Yu., 195
Hattori, H., see Nakamura, Yu., 195
Heinonen, O., see Syrjänen, S., 89
Helkala, E.-L., see Alhainen, K., 46
Hertzberg, E.L., see Vukelic, J.I., 120
Hörsch, D., see Weihe, E., 190
Houchi, H., see Yoshizumi, M., 103
Humpel, C. and Saria, A., Retinal lesion by bright artificial light increases vasoactive intestinal polypeptide in the rat ventral tegmental area/substantia nigra, 92

Iannone, M., see Nisticò, G., 117
Ishimura, Ya., see Yoshizumi, M., 103
Ito, S. and Ogawa, H., Cytochrome oxidase staining facilitates unequivocal visualization of the primary gustatory area in the

fronto-operculo-insular cortex of macaque monkeys, 61
Iwasaki, Y., see Ohta, Yu., 137

Joëls, M., see Karst, H., 27
Jouvet, M., see Vanni-Mercier, G., 41
Jouvet, M., see Zheng, Z., 17

Kamiya, H., Sawada, S. and Yamamoto, C., Persistent enhancement of transmitter release accompanying long-term potentiation in the guinea pig hippocampus, 259
Karlsson, J.-O., see Persson, H., 81
Karst, H. and Joëls, M., The induction of corticosteroid actions on membrane properties of hippocampal CA1 neurons requires protein synthesis, 27
Kato, H., see Araki, T., 57
Kato, M., see Ohta, Yu., 137
Kawashima, S., see Yamase, K., 255
Kettenmann, H., see Kleingoor, C., 169
Kilić, G., Moran, O. and Cherubini, E., *N*-Methyl-D-aspartate receptor-mediated spontaneous activity in cerebellar granule cells in culture, 263
Kleingoor, C., Ewert, M., Von Blankenfeld, G., Seeburg, P.H. and Kettenmann, H., Inverse but not full benzodiazepine agonists modulate recombinant $\alpha_6\beta_2\gamma_2$ $GABA_A$receptors in transfected human embryonic kidney cells, 169
Kogure, K., see Araki, T., 57
Kollegger, H., McBean, G.J. and Tipton, K.F., The inhibition of glutamine synthetase in rat corpus striatum in vitro by methionine sulfoximine increases the neurotoxic effects of kainate and *N*-methyl-D-aspartate, 95
Kolston, J., Lisney, S.J.W., Mulholland, M.N.C. and Passant, C.D., Transneuronal effects triggered by saphenous nerve injury on one side of a rat are restricted to neurones of the contralateral, homologous nerve, 187
Kreutzberg, G.W., see Lazar, P., 99
Kudo, N., see Ozaki, S., 145
Kugler, P., see Würdig, S., 165

Lange, G.D., see Porter, R., 112
Lazar, P., Reddington, M., Streit, W., Raivich, G. and Kreutzberg, G.W., The action of calcitonin gene-related peptide on astrocyte morphology and cyclic AMP accumulation in astrocyte cultures from neonatal rat brain, 99
Léger, L., see Zheng, Z., 17
Libert, F., see Schiffmann, S.N., 177
Lin, J.S., see Vanni-Mercier, G., 41
Lisney, S.J.W., see Kolston, J., 187
Logan, S.D., see Pickering, A.E., 237
Lu, Ya., see Yuan, H., 229
Lu, Ya., Yuan, H. and Pang, S.F., Retinal [^{125}I]iodomelatonin binding sites in the tree shrew (*Tupaiidae*), 149
Lundquist, C.T., see Nässel, D.R., 225

Mallick, B.N. and Thakkar, M., Short-term REM sleep deprivation increases acetylcholinesterase activity in the medulla of rats, 221
Margolis, F.L., see Artero, C., 182
Martì, E., see Artero, C., 182
Martino, A.D., see Nisticò, G., 117
Masuda, Yu., see Yoshizumi, M., 103
Matsokis, N.A., see Panagopoulos, N.T., 208
Mavridis, M., see Millan, M.J., 173
McBean, G.J., see Kollegger, H., 95
Miettinen, R., see Syrjänen, S., 89
Millan, M.J., Bervoets, K. and Mavridis, M., The serotonin (5-HT)$_{1A}$ agonist, LY 165,163, induces contralateral rotation in unilateral substantia nigra-lesioned rats via dopamine receptors, 173
Molgo, J., see Pécot-Dechavassine, M., 5
Morán, J., see Sanchez-Olea, R., 233
Moran, O., see Kilić, G., 263
Mori, N., see Watanabe, Y., 199
Morita, K., see Yoshizumi, M., 103
Mulatero, B., see Artero, C., 182
Mulholland, M.N.C., see Kolston, J., 187
Murphy, R., see Shuttleworth, C.W.R., 77
Murthy, C.R.K., see Rao, V.L.R., 49
Murthy, C.R.K., see Rao, V.L.R., 251

Nagy, J.I., see Vukelic, J.I., 120
Nakamura, Yu., Takeda, M., Suzuki, H., Hattori, H., Tada, K., Hariguchi, S., Hashimoto, S. and Nishimura, T., Abnormal distribution of cathepsins in the brain of patients with Alzheimer's disease, 195
Nässel, D.R. and Lundquist, C.T., Insect tachykinin-like peptide: distribution of leucokinin immunoreactive neurons in the cockroach and blowfly brains, 225
Naudin, B., Saligaut, C. and Costentin, J., Influence of oxygen availability on the neurotoxic effect of 6-hydroxydopamine on nigrostriatal dopaminergic neurons, 22
Nishimura, T., see Nakamura, Yu., 195
Nisticò, G., Ciriolo, M.R., Fiskin, K., Iannone, M., Martino, A.D. and Rotilio, G., NGF restores decrease in catalase and increases glutathione peroxidase activity in the brain of aged rats, 117
Nomura, K., see Yamase, K., 255
Nouillot, P., see Do, M.C., 9

Ogawa, H., see Ito, S., 61
Ohta, Yu., Iwasaki, Y., Abe, H. and Kato, M., Activation of spinal neurons by afferent fibers in the ventral roots of rats, 137
Oka, M., see Yoshizumi, M., 103
Okada, Ya., see Arakawa, T., 53
Okado, N., see Ozaki, S., 145
Ozaki, S., Kudo, N. and Okado, N., Serotonin-positive fibers within the spinal motor nucleus of the newborn rat, with special reference to co-localization of substance P, 145

Palestini, M., see Batini, C., 203
Paljärvi, L., see Syrjänen, S., 89
Panagopoulos, N.T., Papadopoulos, G.C. and Matsokis, N.A., Dopaminergic innervation and binding in the rat cerebellum, 208
Pang, S.F., see Lu, Ya., 149
Pang, S.F., see Yuan, H., 229
Papadopoulos, G.C., see Panagopoulos, N.T., 208
Parker Jr., J.C., see Peng, J.H.F., 37
Pasantes-Morales, H., see Sanchez-Olea, R., 233
Pasinetti, G. and Finch, C.E., Sulfated glycoprotein 2 (SGP-2) mRNA is expressed in rat striatal astrocytes following ibotenic acid lesions, 1
Passant, C.D., see Kolston, J., 187
Pécot-Dechavassine, M., Molgo, J. and Thesleff, S., Ultrastructure of botulinum type-A poisoned frog motor nerve terminals after enhanced quantal transmitter release caused by carbonyl cyanide *m*-chlorophenylhydrazone, 5
Peng, J.H.F., Parker Jr., J.C. and Tsai, F.Y., Immunochemical demonstration of α3 isozyme of Na,K-ATPase in human brain, 37
Persson, H. and Karlsson, J.-O., Calpain activity in a subcellular fraction enriched in partially degraded CNS myelin fragments compared with myelin, 81

Pickering, A.E., Spanswick, D. and Logan, S.D., Whole-cell recordings from sympathetic preganglionic neurons in rat spinal cord slices, 237
Pockett, S., see Slack, J.R., 69
Porter, R., Ghosh, S., Lange, G.D. and Smith Jr., T.G., A fractal analysis of pyramidal neurons in mammalian motor cortex, 112
Prado, A., see Gómez, C., 213

Raivich, G., see Lazar, P., 99
Rao, V.L.R., Agrawal, A.K. and Murthy, C.R.K., Ammonia-induced alterations in glutamate and muscimol binding to cerebellar synaptic membranes, 251
Rao, V.L.R. and Murthy, C.R.K., Hyperammonemic alterations in the uptake and release of glutamate and aspartate by rat cerebellar preparations, 49
Reddington, M., see Lazar, P., 99
Reinikainen, K., see Alhainen, K., 46
Reis, D.J., see Aicher, S.A., 32
Riekkinen, P., see Syrjänen, S., 89
Riekkinen Sr., P., see Alhainen, K., 46
Rotilio, G., see Nisticò, G., 117
Routtenberg, A., see Cain, S.T., 65
Rovira, C. and Ben-Ari, Y., Benzodiazepines do not potentiate GABA responses in neonatal hippocampal neurons, 157
Rubio, A., see Ferré, S., 162

Sakai, K., see Vanni-Mercier, G., 41
Saligaut, C., see Naudin, B., 22
Sanchez-Olea, R., Morán, J., Schousboe, A. and Pasantes-Morales, H., Hyposmolarity-activated fluxes of taurine in astrocytes are mediated by diffusion, 233
Santer, R.M., Morphological evidence for the maintenance of the cervical sympathetic system in aged rats, 248
Saria, A., see Humpel, C., 92
Savage, D.H., see Tenser, R.B., 85
Sawada, S., see Kamiya, H., 259
Schauer, W., see Böhmer, G., 271
Schiffmann, S.N., Libert, F., Vassart, G. and Vanderhaeghen, J.-J., Distribution of adenosine A_2 receptor mRNA in the human brain, 177
Schmid, K., see Böhmer, G., 271
Schousboe, A., see Sanchez-Olea, R., 233
Schramm, M., see Eimerl, S., 125
Seeburg, P.H., see Kleingoor, C., 169
Serdaroglu, P., see Askanas, V., 73
Shuttleworth, C.W.R., Murphy, R. and Furness, J.B., Evidence that nitric oxide participates in non-adrenergic inhibitory transmission to intestinal muscle in the guinea-pig, 77
Sirviö, J., see Alhainen, K., 46
Slack, J.R. and Pockett, S., Cyclic AMP induces long-term increase in synaptic efficacy in CA1 region of rat hippocampus, 69
Smith Jr., T.G., see Porter, R., 112
Southam, E. and Garthwaite, J., Comparative effects of some nitric oxide donors on cyclic GMP levels in rat cerebellar slices, 107
Spanswick, D., see Pickering, A.E., 237
Springston, M., see Aicher, S.A., 32
Stehle, J., Effects of histamine on spontaneous electrical activity of neurons in rat suprachiasmatic nucleus, 217
Streit, W., see Lazar, P., 99
Suzuki, H., see Nakamura, Yu., 195
Syrjänen, K., see Syrjänen, S., 89
Syrjänen, S., Heinonen, O., Miettinen, R., Paljärvi, L., Syrjänen, K. and Riekkinen, P., Short biotinylated oligonucleotides bind non-specifically to senile plaques of Alzheimer's disease, 89
Tada, K., see Nakamura, Yu., 195
Takahashi, S., see Yamase, K., 255
Takeda, M., see Nakamura, Yu., 195
Tateishi, N., see Akaike, N., 243
Tateishi, N., see Harata, N., 153
Tenser, R.B., Viselli, A.L. and Savage, D.H., Reversible decrease of fluoride resistant acid phosphatase-positive neurons after herpes simplex virus infection, 85
Thakkar, M., see Mallick, B.N., 221
Thesleff, S., see Pécot-Dechavassine, M., 5
Thomasset, M., see Batini, C., 203
Tipton, K.F., see Kollegger, H., 95
Tobler, I., see Franken, P., 141
Tsai, F.Y., see Peng, J.H.F., 37

Uemura, S., see Watanabe, Y., 199

Vanderhaeghen, J.-J., see Schiffmann, S.N., 177
Vanni-Mercier, G., Sakai, K., Lin, J.S. and Jouvet, M., Carbachol microinjections in the mediodorsal pontine tegmentum are unable to induce paradoxical sleep after caudal pontine and prebulbar transections in the cat, 41
Vassart, G., see Schiffmann, S.N., 177
Viselli, A.L., see Tenser, R.B., 85
Von Blankenfeld, G., see Kleingoor, C., 169
Vukelic, J.I., Yamamoto, T., Hertzberg, E.L. and Nagy, J.I., Depletion of connexin43-immunoreactivity in astrocytes after kainic acid-induced lesions in rat brain, 120

Wahlestedt, C., see Aicher, S.A., 32
Watanabe, Y., Mori, N. and Uemura, S., Suppression of kindled seizure following intraamygdaloid injection of pertussis toxin in rats, 199
Weihe, E., Hörsch, D., Eiden, L.E. and Hartschuh, W., Dual presence of chromogranin A-like immunoreactivity in a population of endocrine-like cells and in nerve fibers in the human anal canal, 190
Wickens, J.R. and Abraham, W.C., The involvement of L-type calcium channels in heterosynaptic long-term depression in the hippocampus, 128
Würdig, S. and Kugler, P., Histochemistry of glutamate metabolizing enzymes in the rat cerebellar cortex, 165

Yamamoto, C., see Kamiya, H., 259
Yamamoto, T., see Vukelic, J.I., 120
Yamase, K., Takahashi, S., Nomura, K., Haruta, K. and Kawashima, S., Circadian changes in arginine vasopressin level in the suprachiasmatic nuclei in the rat, 255
Yoshizumi, M., Houchi, H., Ishimura, Ya., Masuda, Yu., Morita, K. and Oka, M., Mechanism of palytoxin-induced Na influx into cultured bovine adrenal chromaffin cells: possible involvement of Na/H exchange system, 103
Yuan, H., Lu, Ya. and Pang, S.F., Binding characteristics and regional distribution of [^{125}I]iodomelatonin binding sites in the brain of the human fetus, 229
Yuan, H., see Lu, Ya., 149

Zheng, Z., Léger, L., Cespuglio, R. and Jouvet, M., Distribution of the pro-opiomelanocortin-immunoreactive axons in relation to the serotoninergic neurons in the dorsal raphe nucleus of the rat, 17